



# SAFETY DATA SHEET

## TILE & GROUT SEALER PRO

### 1. IDENTIFICATION OF PRODUCT AND MANUFACTURER

<b>Product name:</b>	Tile & Grout Sealer Pro
<b>Other means of identification:</b>	TGS1, TGS5
<b>Recommended use of the chemical:</b>	Water proofer
<b>Suppliers details:</b>	QualChem Products Limited 81 Ngaumutawa Road Masterton 5810 NEW ZEALAND Ph 06 370 1950 Fax 06 370 2270
<b>Emergency number:</b>	0800 764 766 (National Poisons Centre)

### 2. HAZARD IDENTIFICATION

**GHS classification:** H319 – Causes serious eye irritation.

**GHS label elements:**

Hazard pictograms:



**Signal word:** Warning

**Precautionary statements:** Wash eyes thoroughly after handling. P264  
Wear face protection. P280  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P305 + P351 + P338  
If eye irritation persists: Get medical advice/attention. P337 + P313

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredients:	C.A.S No:	Concentration:	Toxicological Data:
N/A			



# SAFETY DATA SHEET

## TILE & GROUT SEALER PRO

### 4. FIRST AID MEASURES

**After contact with the eyes:** Immediately rinse eyes with running water for at least 15 minutes. Seek medical attention if irritation persists.

**Ingestion:** Seek immediate medical attention. If conscious, give 3-4 glasses of milk (or if unavailable, water) DO NOT INDUCE VOMITING.

### 5. FIRE FIGHTING MEASURES

**Extinguishing media:**  
**Suitable:** All

**Special Fire Fighting Procedures:** This product not is flammable.

**Unusual Fire and Explosion Hazards:**

Hazardous Product of combustion: Toxic organic vapours, amines and oxides of carbon and nitrogen and hydrogen chloride

### 6. ACCIDENTAL RELEASE MEASURES

**Spills:** Wear appropriate protective equipment and respirator where mists or vapours of unknown concentrations may be generated

**Large Spills:** Do not allow the product to enter drains or waterways. Remove leaking containers to a detached area. Bund spill area and recover, consider recycling. Absorb spilled product with inert material (e.g. sand, earth etc.).

Floors may become slippery. NB vigorous flushing may generate copious foam.

**Disposal:** Dispose of waste to an approved waste disposal facility.

**Cleaning of equipment:** Clean with water.

### 7. HANDLING AND STORAGE

**Handling:** Measures to prevent fire and explosion: No special measures required. Avoid eye contact.

**Storage:** Do not contaminate drinking water, food or feed by storage or disposal.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Ventilation:** In processes where mists or vapours may be generated, proper ventilation must be provided in accordance with good ventilation practices.

**Personal Protective Equipment**

Eye Protection: Safety glasses/goggles



# SAFETY DATA SHEET

## TILE & GROUT SEALER PRO

Hand Protection: N/A  
Skin and Body Protection: N/A

### 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Form:</b>	Liquid
<b>Colour:</b>	Clear
<b>Odour:</b>	N/D
<b>Boiling Point (degree c):</b>	100°C
<b>Flash Point (degree c):</b>	N/D
<b>Max, % Volatile:</b>	N/D
<b>Density at 20 degree c, g/ml:</b>	N/D
<b>Solubility in Water:</b>	100%
<b>pH:</b>	N/D

### 10. STABILITY AND REACTIVITY

**Stability:** Stable under normal operating conditions

**Materials to Avoid:** N/D

**Hazardous Decomposition Products:** N/A

**Dangerous Reactions:** None

### 11. TOXICOLOGICAL INFORMATION

**Health Effects:** Swallowed: Harmful if swallowed  
Eye: Irritant  
Skin: N/A  
Inhaled: Irritating if inhaled.

**Acute oral Toxicity:** N/D

**Acute Dermal Toxicity:** N/D

**Skin Irritation:** Wash contaminated area for 15 minutes; if irritation persists consult a doctor.



# SAFETY DATA SHEET

## TILE & GROUT SEALER PRO

**Eye Irritation:** Flush well with water for 15 minutes, then consult a doctor.

**Sensitisation:** N/D

### 12. ECOLOGICAL INFORMATION

**Aquatic Toxicity:** N/A

**Avian Toxicity:** N/A

### 13. DISPOSAL CONSIDERATIONS

1. Dispose of waste to an approved waste disposal facility.
2. Disposal of empty container: Triple rinse then send to the local council approved recycling facility.
3. Disposal of packaging: Send to the local council approved recycling facility.

### 14. TRANSPORT REGULATIONS

**U.N Number:** N/A

**Hazchem code:** N/A

**Proper Shipping Name:** N/A

**Packing Group:** N/A

**Dangerous Goods Class:** N/A

### 15. REGULATORY INFORMATION

**EPA Approval Code:** HSR002530

**Group Standard:** Cleaning products (Subsidiary Hazard) Group Standard 2006

**HSNO Classifications:** Subclass 6.4 Category A Substances that are irritating to ocular tissue.

**Labelling:** Caution – Keep out of reach of children.



# SAFETY DATA SHEET

## TILE & GROUT SEALER PRO

### 16. OTHER INFORMATION

This Safety Data Sheet supersedes all previous issues. It summarises our best knowledge of the health and safety hazard of the product. All users should read this Safety Data Sheet and consider the information in context of how the product will be handled and used in the workplace, including in conjunction with other products. Since the actual use of this product is beyond the control of QUALCHEM PRODUCTS LTD, we make no warranty, expressed or implied, concerning the use of this product. It is the responsibility of users to ascertain that the product is suitable for intended applications.

N/A = NOT APPLICABLE, N/D = NO DATA AVAILABLE, N/E = NON ESTABLISHED